



Poker LS LED



Industrial luminaire for LED light sources for inline installation. Luminaire has a simple way of installation without use of additional tools. Thanks to the usage of LED light sources the luminaire is lighter, its exploitation is more energy efficient. Aluminum reflector optimizes light distribution. Designed for lighting service spaces, warehouses and supermarkets.

Materials: Housing made of electrostatically painted aluminum (standard color: white), microprismatic diffuser (MPRM) made of PMMA or OPAL diffuser made of polycarbonate.

Installation: Suspended.

Accessories: Simple suspension, electric suspension, S joint, chain, invisible linear joint, hitch for simple suspension, chain hitch, end cap, through wiring

Power: 230 V

ELECTRICAL DATA

Light source	LED
Number of light sources	1
Type of equipment	AC
Voltage rating	220 ... 240 V
Through-wiring	Yes
Light source included	Yes
Power factor	0.97

MECHANICAL DATA

Type of installation	Suspended
Housing material	Aluminum
Designed for light-line	Yes
Electrical track connection	No

INFORMATION

Colour	White
--------	-------

CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Light source protection	Yes
CE	Yes
HACCP+	Yes
EAC	Yes

LIGHT DATA

Light colour	White
Color rendering index	84
Light distribution	Wide beam
Light distribution	DI
Class of luminaire	I
Light output degradation	B10
Lumen maintenance	L80
Lifetime	> 72000 h
MacAdam	SDCM 3
Lamp Lumen Maintenance Factor (after 60 000h)	85 %

OPTICAL DATA

Reflector	High gloss
-----------	------------


AVAILABLE VARIANTS

Product code	Luminaire power [W]	Louver/shutter	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Colour temperature	Weight [kg]
AM001.1111.830.A000 PX2066601	47	OPAL	5400	114	3000K	3.25

AVAILABLE VARIANTS

Product code	Luminaire power [W]	Louver/shutter	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Colour temperature	Weight [kg]
AM001.1111.840.A000 PX2066608	47	OPAL	5510	117	4000K	3.25
AM002.1111.830.A000 PX2066638	73	OPAL	8100	110	3000K	4.40
AM002.1111.840.A000 PX2066640	73	OPAL	8260	113	4000K	4.40
AM003.1111.830.A000 PX2066652	118	OPAL	13490	114	3000K	7.80
AM003.1111.840.A000 PX2066654	118	OPAL	13770	116	4000K	7.80
AM001.1122.830.A000 PX2066657	47	MPRM	5650	120	3000K	3.25
AM001.1122.840.A000 PX2066664	47	MPRM	5770	122	4000K	3.25
AM002.1122.830.A000 PX2066694	73	MPRM	8480	116	3000K	4.40
AM002.1122.840.A000 PX2066696	73	MPRM	8650	118	4000K	4.40
AM003.1122.830.A000 PX2066713	118	MPRM	14130	119	3000K	7.80
AM003.1122.840.A000 PX2066720	118	MPRM	14420	122	4000K	7.80

DIMENSIONS



Product code	L [mm]	W [mm]	H [mm]
AM001.1111.830.A000 PX2066601	1200	100	75
AM001.1111.840.A000 PX2066608	1200	100	75
AM002.1111.830.A000 PX2066638	1800	100	75
AM002.1111.840.A000 PX2066640	1800	100	75
AM003.1111.830.A000 PX2066652	3000	100	75
AM003.1111.840.A000 PX2066654	3000	100	75
AM001.1122.830.A000 PX2066657	1200	100	75
AM001.1122.840.A000 PX2066664	1200	100	75
AM002.1122.830.A000 PX2066694	1800	100	75
AM002.1122.840.A000 PX2066696	1800	100	75
AM003.1122.830.A000 PX2066713	3000	100	75
AM003.1122.840.A000 PX2066720	3000	100	75

L = Length | W = Width | H = Height / Depth



ACCESSORIES

Electric element



Electrical suspension
Pieces in set: 1

FS002.22.1500
PX0922077

Grey

FS002.11.1500
PX0922083

White

POKER LS /LS MINI/ LED through wiring
Pieces in set: 1

PX2066912

5x L=1200mm

PX2066918

5x L=1800mm

PX2066930

5x L=3000mm

Structural element



Poker LS LED End cap
Pieces in set: 1

FE017.11.0002
PX2066821

White



Poker LS LED Upper masking cover

FM015.22.1200
PX2066836

1200mm

White

FM015.22.1800
PX2066843

1800mm

White

FM015.22.3000
PX2066850

3000mm

White

Connecting element



Poker LS LED Invisible linear joint

FJ006.00.0000
PX2066801

Installation element



Simple suspension
Pieces in set: 1

FS001.00.1500
PX0922149



Installation element



Poker LS LED Chain hitch

FS010.00.0000
PX2066815

White



Hitch for simple suspension

FS009.00.0000
PX2066808

White



Poker LS NEW/LS II/LS LED Chain 1m

FS008.00.1000
PX1903171

Poker LS NEW/LS II/LS LED New
Chain 1m



Poker LS LED/LS New "S" joint

FB012.00.0000
PX1903164

Poker LS NEW/LS II/LS LED joint
S

MPRM



MPRM



OPAL



