


Ovalo Square LED



Universal luminaire for LED light sources.

Materials: Powder painted housing made of aluminum profile (standard colors: grey, black or white), base made of steel sheet, OPAL diffuser

Installation: Surface mounted, suspended

Accessories: simple suspension, electrical suspension

Power: 230V

ELECTRICAL DATA

Light source	LED
Type of equipment	AC
Voltage rating	220 ... 240 V

MECHANICAL DATA

Housing material	Aluminum
------------------	----------

CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Light source protection	Yes
CE	Yes

LIGHT DATA

Color rendering index	80
Lumen maintenance	L80
Lifetime	> 72000 h
MacAdam	SDCM 3

OPTICAL DATA

Louver/ shutter	OPAL
Diffuser colour	White
Diffuser material	Opal/mat plastic


AVAILABLE VARIANTS

Product code	Luminaire power [W]	Power supply/type	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Colour temperature	Colour
HC001.1111.830.A000	32	ON/OFF	3590	112	3000K	White
HC001.1111.830.D000	32	DALI	3590	112	3000K	White
HC001.1111.840.A000	32	ON/OFF	3770	118	4000K	White
HC001.1111.840.D000	32	DALI	3770	118	4000K	White
HC001.2211.830.A000	32	ON/OFF	3590	112	3000K	Grey
HC001.2211.830.D000	32	DALI	3590	112	3000K	Grey
HC001.2211.840.A000	32	ON/OFF	3770	118	4000K	Grey
HC001.2211.840.D000	32	DALI	3770	118	4000K	Grey
HC001.3311.830.A000	32	ON/OFF	3590	112	3000K	Black
HC001.3311.830.D000	32	DALI	3590	112	3000K	Black
HC001.3311.840.A000	32	ON/OFF	3770	118	4000K	Black
HC001.3311.840.D000	32	DALI	3770	118	4000K	Black
HC002.1111.830.A000	41	ON/OFF	4580	112	3000K	White

AVAILABLE VARIANTS

Product code	Luminaire power [W]	Power supply/type	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Colour temperature	Colour
HC002.1111.830.D000	41	DALI	4580	112	3000K	White
HC002.1111.840.A000	41	ON/OFF	4810	117	4000K	White
HC002.1111.840.D000	41	DALI	4810	117	4000K	White
HC002.2211.830.A000	41	ON/OFF	4580	112	3000K	Grey
HC002.2211.830.D000	41	DALI	4580	112	3000K	Grey
HC002.2211.840.A000	41	ON/OFF	4810	117	4000K	Grey
HC002.2211.840.D000	41	DALI	4810	117	4000K	Grey
HC002.3311.830.A000	41	ON/OFF	4580	112	3000K	Black
HC002.3311.830.D000	41	DALI	4580	112	3000K	Black
HC002.3311.840.A000	41	ON/OFF	4810	117	4000K	Black
HC002.3311.840.D000	41	DALI	4810	117	4000K	Black

DIMENSIONS



L [mm]	W [mm]	H [mm]	K [mm]
600	600	65	9

L = Length | W = Width | H = Height / Depth | K = Additional dimension

ACCESSORIES

Electric element



Electrical suspension
Pieces in set: 1

FS002.22.1500
PX0922077

Grey

FS002.11.1500
PX0922083

White

FS002.33.1500
PX0922090

Black

Installation element



Simple suspension
Pieces in set: 1

FS001.00.1500
PX0922149

