



---

DROP






					P	CCT	I	Flux	LOR
<b>DROP MAXI 2</b>	A235-02- Ⓞ -1-   WT   IP43				15W	3000K	350mA	2450Lm	84%
	A235-02- Ⓞ -2-   WT   IP43				15W	4000K	350mA	2500Lm	84%
<b>DROP MAXI 3</b>	A235-03- Ⓞ -1-   WT   IP43				22W	3000K	500mA	3450Lm	84%
	A235-03- Ⓞ -2-   WT   IP43				22W	4000K	500mA	3500Lm	84%
<b>DROP MAXI 4</b>	A235-04- Ⓞ -1-   WT   IP43				31W	3000K	700mA	4700Lm	84%
	A235-04- Ⓞ -2-   WT   IP43				31W	4000K	700mA	4775Lm	84%
<b>DROP MAXI 5</b>	A235-05- Ⓞ -1-   WT   IP43				40W	3000K	900mA	5825Lm	84%
	A235-05- Ⓞ -2-   WT   IP43				40W	4000K	900mA	5925Lm	84%
<b>DROP Maxi IP54 2</b>	A235-12- Ⓞ -1-   WT   IP54				15W	3000K	350mA	2450Lm	84%
	A235-12- Ⓞ -2-   WT   IP54				15W	4000K	350mA	2500Lm	84%
<b>DROP Maxi IP54 3</b>	A235-13- Ⓞ -1-   WT   IP54				22W	3000K	500mA	3450Lm	84%
	A235-13- Ⓞ -2-   WT   IP54				22W	4000K	500mA	3500Lm	84%
<b>DROP Maxi IP54 4</b>	A235-14- Ⓞ -1-   WT   IP54				31W	3000K	700mA	4700Lm	84%
	A235-14- Ⓞ -2-   WT   IP54				31W	4000K	700mA	4775Lm	84%
<b>DROP Maxi IP54 5</b>	A235-15- Ⓞ -1-   WT   IP54				40W	3000K	900mA	5825Lm	84%
	A235-15- Ⓞ -2-   WT   IP54				40W	4000K	900mA	5925Lm	84%

LEB | 220 V~ | 240 | CRI>90 | L80B10 >60.000h



Ⓞ \*OPTIONS

1	No DIM
2	DIM Push
3	DIM 1-10V
4	DIM DALI



COLOUR | WT  RAL 9016 | MATERIAL |  AL |  PMMA |

» 368

& » PLEASE CONSULT



		P	CCT	I	Flux	LOR
DROP 1	A193-01- Ⓞ -1-   WT   IP43	10,5W	3000K	350mA	1650Lm	86%
	A193-01- Ⓞ -2-   WT   IP43	10,5W	4000K	350mA	1675Lm	86%
DROP 2	A193-02- Ⓞ -1-   WT   IP43	15,5W	3000K	500mA	2275Lm	86%
	A193-02- Ⓞ -2-   WT   IP43	15,5W	4000K	500mA	2300Lm	86%
DROP 3	A193-03- Ⓞ -1-   WT   IP43	22W	3000K	700mA	3025Lm	86%
	A193-03- Ⓞ -2-   WT   IP43	22W	4000K	700mA	3075Lm	86%
DROP 4	A193-04- Ⓞ -1-   WT   IP43	27W	3000K	700mA	4050Lm	88%
	A193-04- Ⓞ -2-   WT   IP43	27W	4000K	700mA	4100Lm	88%
DROP IP54 1	A193-11- Ⓞ -1-   WT   IP54	10,5W	3000K	350mA	1650Lm	86%
	A193-11- Ⓞ -2-   WT   IP54	10,5W	4000K	350mA	1675Lm	86%
DROP IP54 2	A193-12- Ⓞ -1-   WT   IP54	15,5W	3000K	500mA	2275Lm	86%
	A193-12- Ⓞ -2-   WT   IP54	15,5W	4000K	500mA	2300Lm	86%
DROP IP54 3	A193-13- Ⓞ -1-   WT   IP54	22W	3000K	700mA	3025Lm	86%
	A193-13- Ⓞ -2-   WT   IP54	22W	4000K	700mA	3075Lm	86%
DROP IP54 4	A193-14- Ⓞ -1-   WT   IP54	27W	3000K	700mA	4050Lm	88%
	A193-14- Ⓞ -2-   WT   IP54	27W	4000K	700mA	4100Lm	88%

LED | 220 V~ | 240 | 01 | CE | CRI>90 | L80B10 >60.000 h




		P	CCT	I	Flux	LOR
DROP Mini 2	A194-02- Ⓞ -1-   WT   IP43	7W	3000K	500mA	1050Lm	78%
	A194-02- Ⓞ -2-   WT   IP43	7W	4000K	500mA	1075Lm	78%
DROP Mini 3	A194-03- Ⓞ -1-   WT   IP43	10W	3000K	700mA	1375Lm	78%
	A194-03- Ⓞ -2-   WT   IP43	10W	4000K	700mA	1400Lm	78%
DROP Mini IP54 2	A194-12- Ⓞ -1-   WT   IP54	7W	3000K	500mA	1050Lm	78%
	A194-12- Ⓞ -2-   WT   IP54	7W	4000K	500mA	1075Lm	78%
DROP Mini IP54 3	A194-13- Ⓞ -1-   WT   IP54	10W	3000K	700mA	1375Lm	78%
	A194-13- Ⓞ -2-   WT   IP54	10W	4000K	700mA	1400Lm	78%

LED | 220 V~ | 240 | 01 | CE | CRI>90 | L80B10 >60.000 h



Ⓞ	*OPTIONS
1	No DIM
2	DIM Push
3	DIM 1-10V
4	DIM DALI



COLOUR | WT  RAL 9016 | MATERIAL |  AL |  PMMA |

>> 368

& >> PLEASE CONSULT



			P	CCT	I	Flux	LOR
<b>DROP Micro 1</b>	A224-01-10-	WT   NT	5W	2700K	140mA	700Lm	72%
	A224-01-11-	WT   NT	5W	3000K	140mA	730Lm	72%
	A224-01-12-	WT   NT	5W	4000K	140mA	750Lm	72%
<b>DROP Micro 2</b>	A224-02- ① -0-	WT   NT	7,5W	2700K	200mA	950Lm	72%
	A224-02- ① -1-	WT   NT	7,5W	3000K	200mA	1000Lm	72%
	A224-02- ① -2-	WT   NT	7,5W	4000K	200mA	1030Lm	72%

| 220/240 V~ | | CRI>80 | L80B10 >60.000h | MacAdam Step 2 | OPTIONS\* | FAST | CONNEC | INCL | Ø73 | 81°




			P	CCT	I	Flux	LOR
<b>DROP Micro Trans 1</b>	A223-01-10-	WT   NT	5W	2700K	140mA	700Lm	80%
	A223-01-11-	WT   NT	5W	3000K	140mA	730Lm	80%
	A223-01-12-	WT   NT	5W	4000K	140mA	750Lm	80%
<b>DROP Micro Trans 2</b>	A223-02- ① -0-	WT   NT	7,5W	2700K	200mA	950Lm	80%
	A223-02- ① -1-	WT   NT	7,5W	3000K	200mA	1000Lm	80%
	A223-02- ① -2-	WT   NT	7,5W	4000K	200mA	1030Lm	80%

| 220/240 V~ | | CRI>80 | L80B10 >60.000h | MacAdam Step 2 | UGR <19 | OPTIONS\* | FAST | CONNEC | INCL | Ø73 | 38°

① \*OPTIONS

1	No DIM
2	DIM Phase Cut

DROP MICRO



COLOUR | WT RAL 9016 | NT RAL 9005 | MATERIAL | AL | PMMA || AL | GL-TRANS | » 368

\* OTHER DIM OPTIONS PLEASE CONSULT

& » PLEASE CONSULT