



Mirror LED



Wall mounted luminaire recommended for hospital bathrooms and wards

Materials: electrostatically painted aluminum profile (gray colour as a standard). OPAL grooven inside diffuser. End caps in set.

Installation: wall mounted

Power: 230V

ELECTRICAL DATA

Light source	LED
Number of light sources	1
Type of equipment	AC
Voltage rating	220 ... 240 V
Through-wiring	Yes
Light source included	Yes
Power factor	0.96

MECHANICAL DATA

Type of installation	Universal
Housing material	Aluminum
Electrical track connection	No

INFORMATION

Colour	Grey
Operating temperature range	-15 ... 40 °C
Rotated model	No

CERTIFICATES

Degree of protection (IP)	IP44
Class of protection	I
CE	Yes
PZH	Yes
HACCP+	Yes
Power Flicker	=< 3%

LIGHT DATA

Luminaire's luminous efficiency	79 %
Light colour	White
Color rendering index	84
Light distribution	Mid beam
Light distribution	DI
Class of luminaire	I
Light output degradation	B10
Lumen maintenance	L80
Lifetime	> 72000 h
MacAdam	SDCM 3
Lamp Lumen Maintenance Factor (after 60 000h)	85 %

OPTICAL DATA

Louver/ shutter	OPAL
Diffuser colour	White
Diffuser material	Opal plastic


AVAILABLE VARIANTS

Product code	Luminaire power [W]	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Colour temperature	Weight [kg]
AL001.2211.830.A000 PX4451001	11	1350	123	3000K	1.00

AVAILABLE VARIANTS

Product code	Luminaire power [W]	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Colour temperature	Weight [kg]
AL001.2211.840.A000 PX4451008	11	1390	126	4000K	1.00
AL002.2211.830.A000 PX4451015	16	2020	126	3000K	1.40
AL002.2211.840.A000 PX4451022	16	2090	131	4000K	1.40
AL003.2211.830.A000 PX4451029	22	2700	123	3000K	1.80
AL003.2211.840.A000 PX4451036	22	2780	126	4000K	1.80

DIMENSIONS



Product code	L [mm]	W [mm]	H [mm]
AL001.2211.830.A000 PX4451001	592	50	60
AL001.2211.840.A000 PX4451008	592	50	60
AL002.2211.830.A000 PX4451015	882	50	60
AL002.2211.840.A000 PX4451022	882	50	60
AL003.2211.830.A000 PX4451029	1172	50	60
AL003.2211.840.A000 PX4451036	1172	50	60

L = Length | W = Width | H = Height / Depth



