



Simple Arc LED



Luminaire for universal use in all types of office spaces: hallways, conference rooms, computer rooms etc. Simple ARC LED is available with OPAL diffuser. The possibility of DALI lighting control - on request. Versions for T24 ceilings. On request: versions for T15 ceilings

Materials: powder painted steel sheet body (standard color: white), OPAL diffuser made of polycarbonate

Installation: into modular ceilings 600x600 with a visible supporting structure. The luminaire should be installed together with original ceiling panels which are not part of the order

Power: 230 V

ELECTRICAL DATA

Light source	LED
Luminaire power	14W
Number of light sources	1
Light source power	11W
Type of equipment	AC
Voltage rating	220 ... 240 V
Light source included	Yes

MECHANICAL DATA

Type of installation	For 600x600 ceiling
Housing material	Steel sheet
Designed for light-line	No

INFORMATION

Colour	White
--------	-------

CERTIFICATES

Degree of protection (IP)	IP20
Degree of protection (IP) / top/	IP20
Class of protection	I
CE	Yes
HACCP+	Yes
EAC	Yes

LIGHT DATA

Luminaire's luminous efficiency	71 %
Light colour	White
Color rendering index	84
Light distribution	Mid beam
Light distribution	DI
Class of luminaire	I
Light output degradation	B10
Lumen maintenance	L80
Lifetime	> 72000 h
MacAdam	SDCM 3
Lamp Lumen Maintenance Factor (after 60 000h)	85 %

OPTICAL DATA

Louver/ shutter	OPAL
Diffuser colour	White
Diffuser material	Opal plastic


AVAILABLE VARIANTS

Product code	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Colour temperature
CH007.1111.830.A000 PX2067051	1220	87	3000K
CH007.1111.840.A000 PX2067052	1260	90	4000K


DIMENSIONS

L [mm]	W [mm]	H [mm]	C [mm]	D [mm]	K [mm]
355	134	48	403	167	355


L = Length | W = Width | H = Height / Depth | C = Installation length | D = Installation width
| K = Additional dimension




SIMPLE ARC LED




SIMPLE ARC LED




SIMPLE ARC LED



SIMPLE ARC LED



SIMPLE LED OPAL + SIMPLE ARC LED



SIMPLE LED OPAL + SIMPLE ARC LED

